

Serial No. 10/075,284

H&A-107

REMARKS

The Applicants request reconsideration of the rejection.

Claims 1-4 are now pending.

Claims 1-5 were rejected under 35 U.S.C. § 103(a) as being unpatentable over Acker et al U.S. Patent No. 6,508,774 (Acker).

A fundamental difference between the disclosure of Acker and the invention as presently claimed is that Acker's high-intensity focused ultrasound application requires avoidance of cavitation at the time point that cavitation is detected, whereas the claimed invention employs the cavitation in the therapeutic application of ultrasound.

Turning to Acker, note the following passages: Abstract, lines 7-9; column 2, line 64 through column 3, line 5; column 3, lines 28-36; column 4, lines 22-26 and 30-38; column 4, line 65 through column 5, line 7; column 5, lines 25-30; column 9, lines 48-52 and 61-64; and column 10, lines 11-48.

In contrast, as set forth in the present specification from page 6, line 18 to page 7, line 4; page 8, line 9 to page 9, line 4; and page 22, line 20 to page 23, line 7 (for example), the present invention takes advantage of ultrasound reflecting from the cavitation bubble to enhance the therapeutic application of the ultrasound. Accordingly, independent claim 1 has been amended to clarify that the

Serial No. 10/075,284

H&A-107


setting means sets a continuous insonation time according to which the ultrasonic transducer irradiates the therapeutic ultrasound on the exposed region while the exposed region is experiencing cavitation, from a point of time of detection of the cavitation. Independent claim 4 has been amended to recite setting means that sets a continuous insonation time according to which the ultrasonic transducer irradiates the therapeutic ultrasound on the exposed region while the exposed region is generating an audible sound, from point of time of detection of the audible sound. As noted in the passages mentioned above, in every embodiment disclosed by Acker, the detected cavitation is avoided by either terminating the application of ultrasound to the site of cavitation, reducing the energy of the ultrasound to dissipate the cavitation, or moving the focal point of the ultrasound application away from the site of cavitation. By doing so, Acker achieves the stated goal of avoiding cavitation at the site of ultrasound application.

Serial No. 10/075,284

H&A-107

In view of the foregoing remarks and amendments,
Applicants request reconsideration of the rejection and
allowance of the claims.

Respectfully submitted,


Daniel J. Stanger
Registration No. 32,846
Attorney for Applicants

MATTINGLY, STANGER & MALUR, P.C.
1800 Diagonal Road, Suite 370
Alexandria, Virginia 22314
Telephone: (703) 684-1120
Facsimile: (703) 684-1157
Date: February 4, 2004